



Screwless **DINnectors**® At a Glance

Feed-through Terminal Blocks


Feed-through terminal blocks are available in a number of wire size options to ensure flexibility and ease of installation for your DIN-rail mounted connection system.




DN-Q12-A



DN-Q10-A




DN-Q8-A




Note: All feed-through terminal blocks come in gray or blue

Multi-level Terminal Blocks


Double-level terminal blocks offer twice the wiring density of feed-through blocks.




DN-QD12-A



DN-QD12DR-A




DN-QD12L2-A




DN-QD12X-A

Ground Terminal Blocks


Ground terminal blocks are used to mechanically and electrically connect wires to the DIN rail, thus allowing the rail to function as a ground bus bar.




DN-QG12



DN-QG10




DN-QG8




DN-QG12-1-2

Common Point Terminal Blocks


Common point blocks allow multiple wires to be connected by way of multiple spring clamps.




DN-Q12-1-2-A



DN-Q12-1-2DR-A



DN-Q12-1-2-A




DN-Q12-2-2-A

Disconnect Terminal Block


Plug-in Terminal Blocks

Marking Tags & Accessories




DN-QKBD12-A

The DN-QKBD12-A allows fast circuit disconnection without rewiring.



DN-QEMX series



DN-Q2J DN-QEC Series

Screwless Terminal Blocks Overview

Why go screwless?

Screwless clamping technology offers several benefits:


- **Speed:** On average, screwless connections can be made in half the time of screw type connections, cutting installation labor costs in half.
- **Ease:** No need for twisting and turning screws, so screwless terminal blocks are much easier on the installer's hands and arms. Also, wiring from the top of the terminal blocks allow installers to accurately and reliably see the wire fully inserted into the spring clamp.
- **Safety:** Never have a problem with faulty connections from loose screws again! Meets the same UL, CSA, and IEC standards as screw-type terminal blocks.
- **Maintenance-free:** The screwless spring clamp conforms to the wire with constant tension, making it maintenance-free.

Are there any trade-offs of going screwless versus screw-type?



Unless you need to clamp multiple wires to the same connection point, the answer is no. If you do, then there may be a slight trade-off in requiring more panel space than with screw terminal blocks. Unlike screw terminal blocks, screwless terminal block spring-clamps are designed to clamp a single wire, only. This is why multiple versions exist like the "one-to-two" or "two-to-two." These versions allow multiple wires to be connected together via multiple spring clamps.

How does it work?

Well, it's pretty simple: Push, Insert, Release. Just push your screwdriver into the spring clamp (a rectangular shaped hole) to open the spring clamp; insert the stripped wire into the clamp (a circular shaped hole), and pull out your screwdriver to release the clamp against the wire. That's it. The connection is made.




How do the jumpers work?




Yes = Good, acceptable jumper
No = Bad, damaged jumper




Screwless Feed-Through Terminal Blocks




Feed-through terminal blocks provide the means to connect two wires together, and are available in sizes suitable for up to 8AWG wire. These terminal blocks are 35mm DIN-rail mountable.



DN-Q12-A
(Euro Q2.5/35)




DN-Q10B-A
(Euro Q4/35)



DN-Q8-A
(Euro Q6/35)

Ordering Information										
	Part Number	Pcs/Pkg	Price	Part Number	Pcs/Pkg	Price	Part Number	Pcs/Pkg	Price	
Gray Terminal Block	DN-Q12-A	50	\$28.50	DN-Q10-A	50	\$28.00	DN-Q8-A	50	\$44.50	
Blue Terminal Block	DN-Q12B-A	50	\$30.00	DN-Q10B-A	50	\$30.00	DN-Q8B-A	50	\$47.50	
Description	Screwless feed-through terminal blocks			Screwless feed-through terminal blocks			Screwless feed-through terminal blocks			
Technical Specifications										
Stripping Length	12mm [0.47 in]			15mm [0.59 in]			18mm [0.71]			
Density	200/m [60 pcs/ft]			166/m [50 pcs/ft]			125/m [38 pcs/ft]			
UL Approval*	600V	20A	24-12 AWG	600V	30A	24-10 AWG	600V	45A	22-8 AWG	
CSA Approval	600V	20A	24-12 AWG	600V	30A	24-10 AWG	600V	45A	22-8 AWG	
VDE Approval	630V	24A	2.5 mm ²	630V	32A	4mm ²	630V	41A	6mm ²	
Operating Temperature	Ambient air temperature: -20°C to 105°C [-4°F to 221°F] / Relative humidity: 50% max at 40°C [104°F]; 90% max at 20°C [68°F]									
SCCR Rating	10kA per Table SB4.1, 2009, UL 508A, Maximum short circuit current rating for unmarked components									
CE Conformity	CE (EN 60947-1 / EN 60947-7-1)									
Agency File #	UL E179129									
<i>Note: To obtain the most current agency approval information, see the Agency Approval Checklist section on the specific part number's web page.</i>										
Accessories										
End Covers	DN-QEC12	50	\$14.50	DN-QEC10	50	\$14.50	DN-QEC8	50	\$17.00	
	DN-QEC12MN	10	\$3.50	DN-QEC10MN	10	\$3.50	DN-QEC8MN	10	\$3.75	
Jumpers	2-pole	DN-2J2Y	100	\$29.50	DN-2J4Y	100	\$31.50	DN-2J6Y	100	\$40.50
		DN-2J2YMN	25	\$9.00	DN-2J4YMN	25	\$9.50	DN-2J6YMN	25	\$10.00
	3-pole	DN-3J2Y	100	\$42.50	DN-3J4Y	100	\$51.00	DN-3J6Y	100	\$57.00
		DN-3J2YMN	25	\$12.00	DN-3J4YMN	25	\$15.00	DN-3J6YMN	25	\$16.00
	Multi-pole	DN-24J2Y	5	\$19.00	DN-24J4Y	5	\$20.00	DN-12J6Y	10	\$24.50
	Jumper Cutting Tool	DN-J2CUT	1	\$54.00	DN-J4CUT	1	\$54.00	-		
35mm DIN Rail	7.5 mm high	DN-R35S1	10	\$32.50	DN-R35S1	10	\$32.50	DN-R35S1	10	\$32.50
		DN-R35S1-2	2	\$10.00	DN-R35S1-2	2	\$10.00	DN-R35S1-2	2	\$10.00
End Brackets	DN-EB35	50	\$46.00	DN-EB35	50	\$46.00	DN-EB35	50	\$46.00	
	DN-EB35MN	20	\$21.50	DN-EB35MN	20	\$21.50	DN-EB35MN	20	\$21.50	
	DN-EB35-A	50	\$33.00	DN-EB35-A	50	\$33.00	DN-EB35-A	50	\$33.00	
	DN-EB35-A-10	10	\$9.00	DN-EB35-A-10	10	\$9.00	DN-EB35-A-10	10	\$9.00	
	DN-QEB35	50	\$29.00	DN-QEB35	50	\$29.00	DN-QEB35	50	\$29.00	
	DN-QEB35-10	10	\$9.00	DN-QEB35-10	10	\$9.00	DN-QEB35-10	10	\$9.00	
Angled Support Bracket	DN-ASB1	50	\$57.00	DN-ASB1	50	\$57.00	DN-ASB1	50	\$57.00	
Marking Tags	DN-QL Series	500	various	DN-QL Series	500	various	DN-QL Series	500	various	
<i>*Copper wire only</i>										
<i>Note: For more information on accessories, see the DINnectors Accessories section of this chapter.</i>										

Dimensions






Screwless Double-Level Terminal Blocks


DN-QD12-A DN-QD12X-A

Double-level terminal blocks offer twice the wiring density of feed-through blocks. The DN-QD12X-A version is supplied with an internal jumper to common all four of its connection points.




LED version

This style is available with LED indicator installed. The LED illuminates when voltage is present. The DN-QD12L2-A version is for 12 - 24 VAC/DC circuits, and includes current limiting elements.



Diode version

Typically, an inductive load produces a spike when it is turned off. These terminal blocks with built-in diode help protect your PLC's output circuits. (Please see application note AN-MISC-032 at <http://support.automationdirect.com/docs/an-misc-032.pdf>)




Ordering Information													
	Part Number	Pcs/Pkg	Price	Part Number	Pcs/Pkg	Price	Part Number	Pcs/Pkg	Price	Part Number	Pcs/Pkg	Price	
Gray Terminal Blk	DN-QD12-A	25	\$41.50	DN-QD12X-A	10	\$27.50	DN-QD12L2-A	10	\$28.50	DN-QD12DR-A	10	\$27.50	
Blue Terminal Blk	DN-QD12B-A	25	\$44.00	DN-QD12XB-A	10	\$29.00	-		-		-		
Description	Double-level screwless terminal blocks			Double-level screwless cross-connected terminal blocks			Double-level screwless terminal blocks w/LED installed for visual circuit indication			Double-level screwless terminal blocks w/diode installed for circuit protection			
Technical Specifications													
Stripping Length	12mm [0.47 in]			12mm [0.47 in]			12mm [0.47 in]			12mm [0.47 in]			
Density	200/m [60 pcs/ft]			200/m [60 pcs/ft]			200/m [60 pcs/ft]			200/m [60 pcs/ft]			
UL Approval*	600V	20A	24-12 AWG	600V	20A	24-12AWG	600V	20A	24-12 AWG	600V	1A diode	24-12 AWG	
CSA Approval	600V	20A	24-12 AWG	600V	20A	24-12AWG	600V	20A	24-12 AWG	600V	1A diode	24-12 AWG	
VDE Approval	500V	24A	2.5 mm ²	500V	24A	2.5 mm ²	500V	24A	2.5 mm ²	500V	1A diode	2.5 mm ²	
LED Voltage	-			-			12-24 VAC/DC, 3.4 kΩ			-			
Operating Temp	Ambient air temperature: -20°C to 105°C [-4°F to 221°F] / Relative humidity: 50% max at 40°C [104°F]; 90% max at 20°C [68°F]												
SCCR Rating	10kA per Table SB4.1, 2009, UL 508A, Maximum short circuit current rating for unmarked components												
CE Conformity	CE (EN 60947-1 / EN 60947-7-1)												
Agency File #	UL E179129												
<i>Note: To obtain the most current agency approval information, see the Agency Approval Checklist section on the specific part number's web page.</i>													
Accessories													
End Covers	DN-QDEC12	25	\$11.50	DN-QDEC12	25	\$11.50	DN-QDEC12	25	\$11.50	DN-QDEC12	25	\$11.50	
Jumpers	2-pole	DN-2J2Y	100	\$29.50	DN-2J2Y	100	\$29.50	DN-2J2Y	100	\$29.50	DN-2J2Y	100	\$29.50
		DN-2J2YMN	25	\$9.00	DN-2J2YMN	25	\$9.00	DN-2J2YMN	25	\$9.00	DN-2J2YMN	25	\$9.00
	3-pole	DN-3J2Y	100	\$42.50	DN-3J2Y	100	\$42.50	DN-3J2Y	100	\$42.50	DN-3J2Y	100	\$42.50
		DN-3J2YMN	25	\$12.00	DN-3J2YMN	25	\$12.00	DN-3J2YMN	25	\$12.00	DN-3J2YMN	25	\$12.00
	24-pole	DN-24J2Y	5	\$19.00	DN-24J2Y	5	\$19.00	DN-24J2Y	5	\$19.00	DN-24J2Y	5	\$19.00
		DN-24J2YMN	5	\$19.00	DN-24J2YMN	5	\$19.00	DN-24J2YMN	5	\$19.00	DN-24J2YMN	5	\$19.00
Cutting Tool	DN-J2CUT	1	\$54.00	DN-J2CUT	1	\$54.00	DN-J2CUT	1	\$54.00	DN-J2CUT	1	\$54.00	
	35mm DIN Rail	DN-R35S1	10	\$32.50	DN-R35S1	10	\$32.50	DN-R35S1	10	\$32.50	DN-R35S1	10	\$32.50
7.5 mm high	DN-R35S1-2	2	\$10.00	DN-R35S1-2	2	\$10.00	DN-R35S1-2	2	\$10.00	DN-R35S1-2	2	\$10.00	
	End Brackets	DN-EB35	50	\$46.00	DN-EB35	50	\$46.00	DN-EB35	50	\$46.00	DN-EB35	50	\$46.00
Angled Support Bracket	DN-EB35MN	20	\$21.50	DN-EB35MN	20	\$21.50	DN-EB35MN	20	\$21.50	DN-EB35MN	20	\$21.50	
	DN-EB35-A	50	\$33.00	DN-EB35-A	50	\$33.00	DN-EB35-A	50	\$33.00	DN-EB35-A	50	\$33.00	
	DN-EB35-A-10	10	\$9.00	DN-EB35-A-10	10	\$9.00	DN-EB35-A-10	10	\$9.00	DN-EB35-A-10	10	\$9.00	
	DN-QEB35	50	\$29.00	DN-QEB35	50	\$29.00	DN-QEB35	50	\$29.00	DN-QEB35	50	\$29.00	
	DN-QEB35-10	10	\$9.00	DN-QEB35-10	10	\$9.00	DN-QEB35-10	10	\$9.00	DN-QEB35-10	10	\$9.00	
	Marking Tags	DN-ASB1	50	\$57.00	DN-ASB1	50	\$57.00	DN-ASB1	50	\$57.00	DN-ASB1	50	\$57.00
	DN-QL Series	500	various	DN-QL Series	500	various	DN-QL Series	500	various	DN-QL Series	500	various	

*Copper wire only

For more information on accessories, see the DINnectors Accessories section of this chapter.

Dimensions




Note: Jumpering and testing capability on bottom level only, for DN-QD12X, DN-QD12L2 and DN-QD12DR.


DINnectors® Screwless One-Connection to Two-Connection Terminal Blocks

Unlike screw terminal blocks, screwless terminal block spring clamps are designed to clamp a single wire. If your application requires multiple wires to be tied together, we offer multiple versions, including one-to-two and two-to-two models.



These versions allow multiple wires to be connected together by way of multiple spring clamps and are 35mm DIN-rail mountable. LED and diode variations are also available in this style.




DN-Q12-1-2-A
(Euro QM1/2 2.5/35)




DN-Q12-1-2L1-A
(Euro QM1/2 2.5/35)



DN-Q12-1-2L2 -A
(Euro QM1/2 2.5/35)



DN-Q12-1-2DR-A
(Euro QM1/2 2.5/35)



1N4007 Reverse bias diode
(See Diode information located on page eTB-tTBL-69)

Ordering Information												
	Part Number	Pcs/Pkg	Price	Part Number	Pcs/Pkg	Price	Part Number	Pcs/Pkg	Price	Part Number	Pcs/Pkg	Price
Gray Term Blk	DN-Q12-1-2-A	25	\$27.00	DN-Q12-1-2L1-A	10	\$26.50	DN-Q12-1-2L2-A	10	\$26.50	DN-Q12-1-2DR-A	10	\$24.00
Blue Term Blk	DN-Q12B-1-2-A	25	\$28.50	-	-	-	-	-	-	-	-	-
Description	One-connection to two-connection screwless terminal block for 24-12 AWG wire			One negative connection to two positive connection screwless terminal block for 24-12 AWG wire. LED installed for visual circuit indication			One positive connection to two negative connection screwless terminal block for 24-12 AWG wire. LED installed for visual circuit indication			One-connection to two-connection screwless terminal block for 24-12 AWG wire. 1N4007 reverse bias diode installed for circuit protection (see 1N4007 Diode Information table on following page).		
Technical Specifications												
Stripping Length	12mm [0.47 in]			12mm [0.47 in]			12mm [0.47 in]			12mm [0.47 in]		
Density	200/m [60 pcs/ft]			200/m [60 pcs/ft]			200/m [60 pcs/ft]			200/m [60 pcs/ft]		
UL Approval*	600V	20A	24-12 AWG	600V	20A	24-12AWG	600V	20A	24-12 AWG	600V	1A diode	24-12 AWG
CSA Approval	600V	20A	24-12 AWG	600V	20A	24-12AWG	600V	20A	24-12 AWG	600V	1A diode	24-12 AWG
VDE Approval	630V	24A	2.5 mm ²	630V	24A	2.5 mm ²	630V	24A	2.5 mm ²	630V	1A diode	2.5 mm ²
LED Voltage	-			12 -24 VAC/DC 3.4 kΩ			12 -24 VAC/DC 3.4 kΩ			-		
Operating Temp	Ambient air temperature: -20°C to 105°C [-4°F to 221°F] / Relative humidity: 50% max at 40°C [104°F]; 90% max at 20°C [68°F]											
SCCR Rating	10kA per Table SB4.1, 2009, UL 508A, Maximum short circuit current rating for unmarked components											
CE Conformity	CE (EN 60947-1 / EN 60947-7-1)											
Agency File #	UL E179129											
<i>Note: To obtain the most current agency approval information, see the Agency Approval Checklist section on the specific part number's web page.</i>												
Accessories												
End Covers	DN-QEC12-1-2	25	\$10.00	DN-QEC12-1-2	25	\$10.00	DN-QEC12-1-2	25	\$10.00	DN-QEC12-1-2	25	\$10.00
Jumper	2-pole	DN-2J2Y	100	\$29.50	-	-	-	-	-	-	-	-
		DN-2J2YMN	25	\$9.00								
	3-pole	DN-3J2Y	100	\$42.50								
		DN-3J2YMN	25	\$12.00								
24-pole	DN-24J2Y	5	\$19.00									
Cutting Tool	DN-J2CUT	1	\$54.00	DN-J2CUT	1	\$54.00	DN-J2CUT	1	\$54.00	DN-J2CUT	1	\$54.00
35mm DIN Rail	DN-R35S1	10	\$32.50	DN-R35S1	10	\$32.50	DN-R35S1	10	\$32.50	DN-R35S1	10	\$32.50
	DN-R35S1-2	2	\$10.00	DN-R35S1-2	2	\$10.00	DN-R35S1-2	2	\$10.00	DN-R35S1-2	2	\$10.00
End Brackets	DN-EB35	50	\$46.00	DN-EB35	50	\$46.00	DN-EB35	50	\$46.00	DN-EB35	50	\$46.00
	DN-EB35MN	20	\$21.50	DN-EB35MN	20	\$21.50	DN-EB35MN	20	\$21.50	DN-EB35MN	20	\$21.50
	DN-EB35-A	50	\$33.00	DN-EB35-A	50	\$33.00	DN-EB35-A	50	\$33.00	DN-EB35-A	50	\$33.00
	DN-EB35-A-10	10	\$9.00	DN-EB35-A-10	10	\$9.00	DN-EB35-A-10	10	\$9.00	DN-EB35-A-10	10	\$9.00
	DN-QEB35	50	\$29.00	DN-QEB35	50	\$29.00	DN-QEB35	50	\$29.00	DN-QEB35	50	\$29.00
	DN-QEB35-10	10	\$9.00	DN-QEB35-10	10	\$9.00	DN-QEB35-10	10	\$9.00	DN-QEB35-10	10	\$9.00
Angled Support Bracket	DN-ASB1	50	\$57.00	DN-ASB1	50	\$57.00	DN-ASB1	50	\$57.00	DN-ASB1	50	\$57.00
Marking Tags	DN-QL Series	500	various	DN-QL Series	500	various	DN-QL Series	500	various	DN-QL Series	500	various
<i>For more information on accessories, see the DINnectors Accessories section of this chapter.</i>												
<i>* Copper wire only.</i>												

DINnectors Screwless One-Connection to Two-Connection Terminal Blocks


1N4007 Diode Information		
RMS Reverse Voltage*	V (Rrms)	600V
Average Rectified Forward Current Single Phase, Resistive Load, 60Hz	I (O)	1.0 A
Non-Repetitive Peak Surge Current (Surge applied at rated load)	I (FSM)	30A (1 cycle)
Maximum Forward Voltage Drop [I (F) = 1.0 A]	V (F)	1.1 V
Maximum Reverse Current	I (R)	10μA

* The maximum reverse voltage rating of the diode alone is 1000V, but should not exceed the maximum 600V rating of the terminal block.


Dimensions

mm [inches]


DN-Q12-1-2-A




DN-Q12-1-2L1-A



DN-Q12-1-2L2-A




DN-Q12-1-2DR-A



DINnectors® Screwless Knife-Blade Disconnect Terminal Blocks


The DN-QKBD12-A allows fast circuit disconnection without rewiring and is 35mm DIN-rail mountable. This model provides circuit disconnection capability by means of a pivoting, insulated “knife blade.”



DN-QKBD12-A (Euro QT2.5/35)




Dimensions




⚠ WARNING: DO NOT DISCONNECT UNDER LOAD

Knife - Blade Disconnect Screwless Terminal Block				
	Part Number	Pcs/Pkg	Price	
Gray Terminal Block	DN-QKBD12-A	25	\$50.00	
Description	Knife-blade disconnect screwless terminal block for 24-12 AWG wire			
Specifications				
Wire Strip Length	12mm [0.47 in]			
Density	200/m [60 pcs/ft]			
UL Approval*	600V	20A	24-12 AWG	
CSA Approval	600V	20A	24-12 AWG	
VDE Approval	630V	24A	2.5 mm ²	
Operating Temperature	Ambient air temperature: -20°C to 85°C [-4°F to 185°F] Relative humidity: 50% max at 40°C [104°F]; 90% max at 20°C [68°F]			
SCCR	10kA per Table SB4.1, 2009, UL 508A, Maximum short circuit current rating for unmarked components			
CE Conformity	CE (EN 60947-1 / EN 60947-7-1)			
Agency File #	UL E179129			
<i>Note: To obtain the most current agency approval information, see the Agency Approval Checklist section on the specific part number's web page.</i>				
Accessories				
	Part Number	Pcs/Pkg	Price	
End Cover	DN-QEC12-1-2	25	\$10.00	
Jumpers	2-pole	DN-2J2Y	100	\$29.50
		DN-2J2YMN	25	\$9.00
	3-pole	DN-3J2Y	100	\$42.50
		DN-3J2YMN	25	\$12.00
24-pole	DN-24J2Y	5	\$19.00	
Jumper Cutting Tool	DN-J2CUT	1	\$54.00	
35mm DIN Rail	7.5 mm high	DN-R35S1	10	\$32.50
		DN-R35S1-2	2	\$10.00
End Brackets	DN-EB35	50	\$46.00	
	DN-EB35MN	20	\$21.50	
	DN-EB35-A	50	\$33.00	
	DN-EB35-A-10	10	\$9.00	
	DN-QEB35	50	\$29.00	
	DN-QEB35-10	10	\$9.00	
Angled Support Bracket	DN-ASB1	50	\$57.00	
Marking Tags	DN-QL Series	500	various	
<i>For more information on accessories, see the DINnectors Accessories section of this chapter.</i>				
<i>* Copper wire only.</i>				


DINnectors® Screwless Two-Connection to Two-Connection Terminal Blocks






DN-Q12-2-2-A
(Euro QM2/2 2.5/35)




DN-Q12-2-2L2-A
(Euro QM2/2 2.5/35)



DN-Q12-2-2D2-A
(Euro QM2/2 2.5/35)



DN-Q12-2-2*-A Series



Ordering Information										
	Part Number	Pcs/Pkg	Price	Part Number	Pcs/Pkg	Price	Part Number	Pcs/Pkg	Price	
Gray Terminal Block	DN-Q12-2-2-A	25	\$28.50	DN-Q12-2-2L2-A	10	\$29.00	DN-Q12-2-2D2-A	10	\$25.00	
Blue Terminal Block	DN-Q12B-2-2-A	25	\$30.00	-		-		-		
Description	Two-connection to two-connection screwless terminal block for 24-12 AWG wire			Two-connection to two-connection screwless terminal block for 24-12 AWG wire. LED installed for visual circuit indication			Two-connection to two-connection screwless terminal block for 24-12 AWG wire. Reverse bias diode installed for circuit protection			
Technical Specifications										
Stripping Length	12mm [0.47 in]			12mm [0.47 in]			12mm [0.47 in]			
Density	200/m [60 pcs/ft]			200/m [60 pcs/ft]			200/m [60 pcs/ft]			
UL Approval*	600V	20A	24-12 AWG	600V	20A	24-12 AWG	600V	1A Diode	24-12 AWG	
CSA Approval	600V	20A	24-12 AWG	600V	20A	24-12 AWG	600V	1A Diode	24-12 AWG	
VDE Approval	630V	20A	2.5 mm ²	630V	24A	2.5 mm ²	630V	1A Diode	2.5 mm ²	
LED Voltage	-			12 - 24 VAC/DC 3.4 kΩ			-			
Operating Temperature	Ambient air temperature: -20°C to 105°C [-4°F to 221°F] Relative humidity: 50% max at 40°C [104°F]; 90% max at 20°C [68°F]									
SCCR	10kA per Table SB4.1, 2009, UL 508A, Maximum short circuit current rating for unmarked components									
CE Conformity	CE (EN 60947-1 / EN 60947-7-1)									
Agency File #	UL E179129									
<i>Note: To obtain the most current agency approval information, see the Agency Approval Checklist section on the specific part number's web page.</i>										
Accessories										
End Cover	DN-QEC12-2-2	25	\$11.50	DN-QEC12-2-2	25	\$11.50	DN-QEC12-2-2	25	\$11.50	
Jumpers	2-pole	DN-2J2Y	100	\$29.50	-		-			
		DN-2J2YMN	25	\$9.00	-		-			
	3-pole	DN-3J2Y	100	\$42.50	-		-			
		DN-3J2YMN	25	\$12.00	-		-			
24-pole	DN-24J2Y	5	\$19.00	-		-				
Jumper Cutting Tool	DN-J2CUT	1	\$54.00	-		-				
DIN Rail	7.5 mm high	DN-R35S1	10	\$32.50	DN-R35S1	10	\$32.50	DN-R35S1	10	\$32.50
		DN-R35S1-2	2	\$10.00	DN-R35S1-2	2	\$10.00	DN-R35S1-2	2	\$10.00
End Bracket	DN-EB35	50	\$46.00	DN-EB35	50	\$46.00	DN-EB35	50	\$46.00	
	DN-EB35MN	20	\$21.50	DN-EB35MN	20	\$21.50	DN-EB35MN	20	\$21.50	
	DN-EB35-A	50	\$33.00	DN-EB35-A	50	\$33.00	DN-EB35-A	50	\$33.00	
	DN-EB35-A-10	10	\$9.00	DN-EB35-A-10	10	\$9.00	DN-EB35-A-10	10	\$9.00	
	DN-QEB35	50	\$29.00	DN-QEB35	50	\$29.00	DN-qeb35	50	\$29.00	
	DN-QEB35-10	10	\$9.00	DN-QEB35-10	10	\$9.00	DN-QEB35-10	10	\$9.00	
	Angled Support Bracket	DN-ASB1	50	\$57.00	DN-ASB1	50	\$57.00	DN-ASB1	50	\$57.00
Marking Tags	DN-QL Series	500	various	DN-QL Series	500	various	DN-QL Series	500	various	



For more information on accessories, see the DINnectors Accessories section of this chapter.

* Copper wire only


Screwless Plug-In Terminal Blocks




Single and double-level DN-QEMxx screwless plug-in terminal blocks with spring terminals accept all DN-xxPLUG Euro plugs. These terminal blocks are 35mm DIN-rail mountable.



DN-QEMXM1



DN-QEMXDV



Ordering Information							
Part Number	Pcs/Pkg	Price	Part Number	Pcs/Pkg	Price		
Gray Terminal Block	DN-QEMXM1	32	\$43.00	DN-QEMXDV	32	\$55.00	
Technical Specifications							
Stripping Length	8mm [0.31 in]			8mm [0.31 in]			
Levels	Single Level			Double Level			
UL Approval*	300V	12A	24-12 AWG	300V	11A**	24-12 AWG	
Operating Temperature	Ambient air temperature: -20°C to 105°C [-4°F to 221°F] Relative humidity: 50% max at 40°C [104°F]; 90% max at 20°C [68°F]						
SCCR Rating	10kA per Table SB4.1, 2009, UL 508A, maximum SCCR for unmarked components						
CE Conformity	CE (EN 60947-1 / EN 60947-7-1)						
Agency File #	UL E179129						
<i>To obtain the most current agency approval information, see the Agency Approval Checklist section on the specific part number's web page.</i>							
Accessories							
End Cover	left (open) side	DN-EMXM1EC1	25	\$10.00	DN-EMXDVEC1	25	\$10.00
	right (closed) side	DN-EMXM1EC2	25	\$10.00	DN-EMXDVEC2	25	\$10.00
Spacer	either side	DN-EMXM1SPA1	25	\$8.75	DN-EMXM1SPA1	25	\$8.75
Jumpers	2-pole	DN-2J2Y	100	\$29.50	DN-2J2Y	100	\$29.50
		DN-2J2YMN	25	\$9.00	DN-2J2YMN	25	\$9.00
	3-pole	DN-3J2Y	100	\$42.50	DN-3J2Y	100	\$42.50
		DN-3J2YMN	25	\$12.00	DN-3J2YMN	25	\$12.00
	24-pole	DN-24J2Y	5	\$19.00	DN-24J2Y	5	\$19.00
	Jumper Cutting Tool	DN-J2CUT	1	\$54.00	DN-J2CUT	1	\$54.00
Pin Protector – 4-pole	DN-EMPEG1***	16	\$2.75	DN-EMPEG1***	16	\$2.75	
35mm DIN Rail	7.5 mm high	DN-R35S1	10	\$32.50	DN-R35S1	10	\$32.50
		DN-R35S1-2	2	\$10.00	DN-R35S1-2	2	\$10.00
	15mm high	DN-R35HS1	10	\$57.00	DN-R35HS1	10	\$57.00
		DN-R35HS1-2	2	\$15.00	DN-R35HS1-2	2	\$15.00
End Bracket	DN-EB35	50	\$46.00	DN-EB35	50	\$46.00	
	DN-EB35MN	20	\$21.50	DN-EB35MN	20	\$21.50	
	DN-EB35-A	50	\$33.00	DN-EB35-A	50	\$33.00	
	DN-EB35-A-10	10	\$9.00	DN-EB35-A-10	10	\$9.00	
	DN-QEB35	50	\$29.00	DN-QEB35	50	\$29.00	
	DN-QEB35-10	10	\$9.00	DN-QEB35-10	10	\$9.00	
Angled Support Bracket	DN-ASB1	50	\$57.00	DN-ASB1	50	\$57.00	
Marking Tags	DN-LA, DN-LT, DN-EMLBL series	500/100	various	DN-LA, DN-LT, DN-EMLBL series	500/100	various	

*For copper wire only

**DN-QEMXDV rated 12A for stranded wire; 11A for solid wire

***DN-EMPEG1 each piece covers and protects up to 4 unused pins

Note: For more information on accessories, see the DINnectors Accessories section of this chapter.

Accessories – Terminal Plugs									
*Plug Part #	# of Poles	Length	Pcs/Pkg	Price	*Plug Part #	# of Poles	Length	Pcs/Pkg	Price
DN-2PLUG	2	L = 0.40 in [10.2 mm]	200	\$79.00	DN-8PLUG	8	L = 1.60 in [40.6 mm]	50	\$80.00
DN-2PLUGMN			10	\$4.75	DN-8PLUGMN			5	\$9.75
DN-3PLUG	3	L = 0.60 in [15.2 mm]	200	\$122.00	DN-9PLUG	9	L = 1.80 in [45.7 mm]	50	\$88.00
DN-3PLUGMN			10	\$7.75	DN-9PLUGMN			5	\$10.00
DN-4PLUG	4	L = 0.80 in [20.3 mm]	100	\$81.00	DN-10PLUG	10	L = 2.00 in [50.8 mm]	50	\$93.00
DN-4PLUGMN			10	\$9.75	DN-10PLUGMN			5	\$12.00
DN-5PLUG	5	L = 1.00 in [25.4 mm]	100	\$93.00	DN-11PLUG	11	L = 2.20 in [55.9 mm]	50	\$111.00
DN-5PLUGMN			10	\$12.00	DN-11PLUGMN			5	\$13.50
DN-6PLUG	6	L = 1.20 in [30.5 mm]	100	\$121.00	DN-12PLUG	12	L = 2.40 in [61.0 mm]	50	\$121.00
DN-6PLUGMN			10	\$12.00	DN-12PLUGMN			5	\$14.00
DN-7PLUG	7	L = 1.40 in [35.6 mm]	50	\$63.00					
DN-7PLUGMN			5	\$9.75					
Terminal Plugs Ratings									
Voltage/Current	300V, 12A				Operating Temperature	Ambient air temp: -20°C to 105°C [-4°F to 221°F] Relative humidity: 50% max at 40°C [104°F]; 90% max at 20°C [68°F]			
Wire Gauge	14–22 AWG, CU only				Agency Approvals	UL file #: E179129			
Torque	Tightening Torque: 0.51 N·m [4.5 lb·in]								
* DN-xxPLUGs fit all DN-EMxx & DN-QEMxx plug-in terminal blocks.									

Screwless Ground Terminal Blocks




Ground terminal blocks are used to mechanically and electrically connect wires to the DIN rail by means of a conducting clamping foot. In this way, the DIN rail can function as a ground bus bar.

Ground blocks are molded in green and yellow per international standards and are 35mm DIN-rail mountable.




DN-QG12
(Euro QE2.5/35)

Ordering Information									
	Part Number	Pcs/Pkg	Price	Part Number	Pcs/Pkg	Price	Part Number	Pcs/Pkg	Price
Green/Yellow Block	DN-QG12	10	\$22.00	DN-QG10	10	\$23.00	DN-QG8	10	\$28.00
Technical Specifications									
Stripping Length	12mm [0.47 in]			15mm [0.59 in]			18mm [0.71 in]		
Density	200/m [60 pcs/ft]			166/m [50 pcs/ft]			125/m [38 pcs/ft]		
UL Approval	24-12 AWG			24-10 AWG			22-8 AWG		
CSA Approval	24-12 AWG			24-10 AWG			22-8 AWG		
VDE Approval	2.5 mm ²			4mm ²			6mm ²		
Operating Temperature	Ambient air temperature: -20°C to 105°C [-4°F to 221°F] / Relative humidity: 50% max at 40°C [104°F]; 90% max at 20°C [68°F]								
SCCR Rating	10kA per Table SB4.1, 2009, UL 508A, Maximum short circuit current rating for unmarked components								
CE Conformity	CE (EN 60947-1 / EN 60947-7-2)								
Agency File #	UL E179129								
<i>Note: To obtain the most current agency approval information, see the Agency Approval Checklist section on the specific part number's web page.</i>									
Accessories									
End Cover	DN-QEC12	50	\$14.50	DN-QEC10	50	\$14.50	DN-QEC8	50	\$17.00
	DN-QEC12MN	10	\$3.50	DN-QEC10MN	10	\$3.50	DN-QEC8MN	10	\$3.75
35mm DIN Rail	DN-R35S1	10	\$32.50	DN-R35S1	10	\$32.50	DN-R35S1	10	\$32.50
	DN-R35S1-2	2	\$10.00	DN-R35S1-2	2	\$10.00	DN-R35S1-2	2	\$10.00
End Brackets	DN-EB35	50	\$46.00	DN-EB35	50	\$46.00	DN-EB35	50	\$46.00
	DN-EB35MN	20	\$21.50	DN-EB35MN	20	\$21.50	DN-EB35MN	20	\$21.50
	DN-EB35-A	50	\$33.00	DN-EB35-A	50	\$33.00	DN-EB35-A	50	\$33.00
	DN-EB35-A-10	10	\$9.00	DN-EB35-A-10	10	\$9.00	DN-EB35-A-10	10	\$9.00
	DN-QEB35	50	\$29.00	DN-QEB35	50	\$29.00	DN-QEB35	50	\$29.00
	DN-QEB35-10	10	\$9.00	DN-QEB35-10	10	\$9.00	DN-QEB35-10	10	\$9.00
Angled Support Bracket	DN-ASB1	50	\$57.00	DN-ASB1	50	\$57.00	DN-ASB1	50	\$57.00
Marking Tags	DN-QL Series	500	various	DN-QL Series	500	various	DN-QL Series	500	various
<i>Note: For more information on accessories, see the DINnectors Accessories section of this chapter.</i>									




Screwless Ground Terminal Blocks




Ordering Information						
	Part Number	Pcs/Pkg	Price	Part Number	Pcs/Pkg	Price
Green/Yellow Block	DN-QG12-1-2	10	\$38.00	DN-QG12-2-2	10	\$44.50
Technical Specifications						
Stripping Length	12mm [0.47 in]		12mm [0.47 in]			
Density	200/m [60 pcs/ft]		200/m [60 pcs/ft]			
UL Approval	24-12 AWG		24-12 AWG			
CSA Approval	24-12 AWG		24-12 AWG			
VDE Approval	2.5 mm ²		2.5 mm ²			
Operating Temperature	Ambient air temperature: -20°C to 105°C [-4°F to 221°F] Relative humidity: 50% max at 40°C [104°F]; 90% max at 20°C [68°F]					
SCCR Rating	10kA per Table SB4.1, 2009, UL 508A, Maximum short circuit current rating for unmarked components					
CE Conformity	CE (EN 60947-1 / EN 60947-7-2)					
Agency File #	UL E179129					
<i>Note: To obtain the most current agency approval information, see the Agency Approval Checklist section on the specific part number's web page.</i>						
Accessories						
End Cover	DN-QEC12-1-2	25	\$10.00	DN-QEC12-2-2	25	\$11.50
35mm DIN Rail	DN-R35S1	10	\$32.50	DN-R35S1	10	\$32.50
	DN-R35S1-2	2	\$10.00	DN-R35S1-2	2	\$10.00
End Brackets	DN-EB35	50	\$46.00	DN-EB35	50	\$46.00
	DN-EB35MN	20	\$21.50	DN-EB35MN	20	\$21.50
	DN-EB35-A	50	\$33.00	DN-EB35-A	50	\$33.00
	DN-EB35-A-10	10	\$9.00	DN-EB35-A-10	10	\$9.00
	DN-QEB35	50	\$29.00	DN-QEB35	50	\$29.00
	DN-QEB35-10	10	\$9.00	DN-QEB35-10	10	\$9.00
Angled Support Bracket	DN-ASB1	50	\$57.00	DN-ASB1	50	\$57.00
Marking Tags	DN-QL Series	500	various	DN-QL Series	500	various
<i>Note: For more information of accessories, see the DINnectors Accessories section of this chapter.</i>						

DN-QG12-1-2 (EURO QME3-2.5/35)




DN-QG12-2-2 (EURO QME4-2.5/35)



DINnectors Accessories

Steel DIN Rails Features



35mm wide

- Available in 1-meter lengths
- 7.5 mm-high rails primarily used to mount terminal blocks, relays, timers and small PLCs such as the DL05, DL06, DL105, DL205, CLICK, and Productivity3000
- 15mm-high rails for mounting larger and heavier components such as contactors and larger PLCs

15mm wide

- Available in 1-meter lengths
- DN-R15S1 exclusively for mounting mini terminal blocks such as the DN-M10-A

	<i>Part Number</i>	<i>Pcs/Pkg</i>	<i>Price/Pkg</i>	<i>Part Number</i>	<i>Pcs/Pkg</i>	<i>Price/Pkg</i>	<i>Part Number</i>	<i>Pcs/Pkg</i>	<i>Price/Pkg</i>
DIN Rail	DN-R35S1	10	\$32.50	DN-R35HS1	10	\$57.00	DN-R15S1	10	\$29.50
	DN-R35S1-2	2	\$10.00	DN-R35HS1-2	2	\$15.00	DN-R15S1-2	2	\$9.50
Steel DIN Rails Specifications									
Description	DINnector DIN rail, slotted, 35mm, 7.5mm height, 1m length, plated steel. Package of 10.			DINnector DIN rail, slotted, 35mm, 15mm height, 1m length, plated steel. Package of 10.			DINnector DIN rail, slotted, 15mm, 5.5mm height, 1m length, plated steel. Package of 2.		
Plating	Zinc-plated and chromated								
International Standards	EN 60715, RoHs								
Suggested Mounting Screw Type	M6			M6			M4		

Aluminum DIN Rail Features



35mm wide

- Non-anodized finish
- Zinc plating and passivation (minimum thickness 6 microns)
- Lightweight, easy to cut and deburr
- Terminal blocks only
- Maximum mounting screw #10-32 or M5
- Available in 1-meter lengths




35mm wide raised

- Non-anodized finish
- Zinc plating and passivation (minimum thickness 6 microns)
- Enables users to raise terminal blocks 2¼" above the back panel
- Terminal blocks only
- Available in 1-meter lengths
- Bushing or grommet recommended for wire access hole (example Heyco UB-875 not sold by ADC)


	<i>Part Number</i>	<i>Pcs/Pkg</i>	<i>Price/Pkg</i>	<i>Part Number</i>	<i>Pcs/Pkg</i>	<i>Price/Pkg</i>
DIN Rail	DN-R35SAL1	10	\$41.50	DN-R35SAL2-2	2	\$28.50
	DN-R35SAL1-2	2	\$9.25			
Aluminum DIN Rails Specifications						
Description	DINnector DIN rail, slotted, 35mm, 10mm height, 1m length, aluminum. Package of 10.			DINnector DIN rail, slotted, 2in raised 35mm, 7.5mm height, 1m length, aluminum. Package of 2.		
Plating	Galvanic zinc plating, non-anodized finish					
International Standards	DIN 50960, RoHs					
Suggested Mounting Screw Type	#10-32 or M5					

DINnectors[®] Accessories




Dimensions mm [inches]



**DN-R35SAL1
DN-R35SAL1-2**



DN-R35SAL2-2



DINnectors Accessories

DIN rail support brackets

- Angled support brackets raise and tilt mounting rails 30 degrees from mounting surface for easier wiring
- DN-ASB1 plated steel support bracket
- DN-ASB2-10 cold-rolled steel treated with galvanic zinc plating and passivation

DIN rail mounting clips

- Snap small devices not made for mounting onto 35mm DIN rails
- Zinc plated steel

DIN Rail Support Brackets and Mounting Clips			
Part Number	Description	Pcs/Pkg	Price
DN-ASB1	30° angled DIN rail support bracket (M6-1.0 screws not included)	50	\$57.00
DN-ASB2-10	30° angled DIN rail support bracket (M6-1.0 screws included)	10	\$15.00
DN-SSB25-10	1" (25 mm) DIN rail support bracket (M6-1.0 screws included)	10	\$20.50
DN-SSB50-10	2" (50 mm) DIN rail support bracket (M6-1.0 screws included)	10	\$21.50
DN-SSB70-10	2.75" (70 mm) DIN rail support bracket (M6-1.0 screws included)	10	\$27.00
DN-SSB90-10	3.5" (90 mm) DIN rail support bracket (M6-1.0 screws included)	10	\$28.50
DN-CLIP-FM4	DIN rail mounting clip with M4 x 0.7 mm threaded hole (Screws not included)	40	\$53.00
DN-CLIP-FM4-5		5	\$7.75
DN-CLIP-FM5	DIN rail mounting clip with M5 x 0.8 mm threaded hole (Screws not included)	40	\$59.00
DN-CLIP-FM5-5		5	\$7.75



DN-ASB1



DN-ASB2-10



DN-SSB25-10



DN-SSB50-10



DN-SSB70-10






DN-SSB90-10

DN-CLIP-FM4
DN-CLIP-FM4-5DN-CLIP-FM5
DN-CLIP-FM5-5

DINnectors® Accessories



DIN Rail Support Brackets and Mounting Clips

Dimensions mm [inches]



DIN Rail Support Brackets		
Part Number	DIM A mm [inches]	DIM B mm [inches]
DN-SSB25-10	15.0 [0.59]	25.0 [0.98]
DN-SSB50-10	40.0 [1.58]	50.0 [1.97]
DN-SSB70-10	60.0 [2.36]	70.0 [2.76]
DN-SSB90-10	80.0 [3.15]	90.0 [3.54]

See our website: www.AutomationDirect.com for complete engineering drawings




DINnectors[®] Accessories

Jumpers

Multi-pole jumper bars for DINnector terminal blocks


Multi-pole Jumper Bars										
Part Number	Pcs/Pkg	Price	Part Number	Pcs/Pkg	Price	# of Poles	Rating		Insulation Color	For Use With Terminal Block Series
							(V)	(A)		
DN-2J2YMN	25	\$9.00	DN-2J2Y	100	\$29.50	2	600	25	Orange	DN-T12-A, DN-EMX, DN-Q12-A, DN-QD12-A, DN-QEMX, DN-QKBD12-A
DN-2J4YMN	25	\$9.50	DN-2J4Y	100	\$31.50	2	600	25	Yellow	DN-T10-A, DN-D10-A, DN-M10-A, DN-Q10-A
DN-2J6YMN	25	\$10.00	DN-2J6Y	100	\$40.50	2	600	30	Green	DN-Q8-A
-	-	-	DN-2J6	100	\$52.00	2	600	65	-	DN-T6
DN-2JL14-AMN	25	\$10.00	DN-2JL14-A	100	\$45.50	2	300	20	Red	DN-TL-A
DN-2JL14B-AMN	25	\$10.00	DN-2JL14B-A	100	\$45.50	2	300	20	Blue	DN-TL-A
DN-3J2YMN	25	\$12.00	DN-3J2Y	100	\$42.50	3	600	25	Orange	DN-T12-A, DN-EMX, DN-Q12-A, DN-QD12-A, DN-QEMX, DN-QKBD12-A
DN-3J4YMN	25	\$15.00	DN-3J4Y	100	\$51.00	3	600	25	Yellow	DN-T10-A, DN-D10-A, DN-M10-A, DN-Q10-A
DN-3J6YMN	25	\$16.00	DN-3J6Y	100	\$57.00	3	600	30	Green	DN-Q8-A
-	-	-	DN-3J6	100	\$91.00	3	600	65	-	DN-T6
DN-3JL14-AMN	25	\$15.50	DN-3JL14-A	100	\$68.00	3	300	20	Red	DN-TL-A
DN-3JL14B-AMN	25	\$15.50	DN-3JL14B-A	100	\$68.00	3	300	20	Blue	DN-TL-A
			DN-4J6	100	\$116.00	4	600	65	-	DN-T6
			DN-12J6Y	10	\$24.50	12	600	30	Green	DN-Q8-A
			DN-12JL14-A	10	\$18.00	12	300	20	Red	DN-TL-A
			DN-12JL14B-A	10	\$18.00	12	300	20	Blue	DN-TL-A
			DN-12JFE	10	\$41.00	12	300	25	Blue	DN-FE4
			DN-24J2Y	5	\$19.00	24	600	25	Yellow	DN-T12-A, DN-EMX, DN-Q12-A, DN-QD12-A, DN-QEMX, DN-QKBD12-A
			DN-24J4Y	5	\$20.00	24	600	25	Yellow	DN-T10-A, DN-D10-A, DN-M10-A, DN-Q10-A
			DN-24J8	5	\$28.00	24	600	50	Green	DN-T8
			DN-55J6	1	\$18.00	55	600	65	-	DN-T6




Dimensions

mm [inches]


DN-xJ2Y / DN-xJ2YMN




DN-xJ6Y / DN-xJ6YMN




DN-xJ4Y / DN-xJ4YMN




DN-24J8



DN-12JFE



DN-xJL14 / DN-xJL14x-AMN
DN-xJ14x-A




DINnectors® Accessories

Modifying a DN-24J8 jumper bar to the required number of poles


1) Place the insulating part into the jumper bar and insert screws, based on number of poles required. (For instance, in the following example, 5 poles are required). Click into place.



2) Using a cutting tool, cut the insulating part at the edge of the jumper bar (see below).




3) Hold the metal jumper bar and insulating jumper with two hands, placing fingers to the left and right of the pole you wish to cut, repeatedly flexing up and down (1 or 2 times should be sufficient) until the jumper bar and insulating jumper break in two.



4) Remove the small remaining piece of jumper (see below). This is important to ensure appropriate insulation distance in the case of contiguously applied jumpers in sequence. This step also facilitates the placement of a separator terminal if the bridge is positioned as the last terminal of a group.



5) The jumpers now are ready to be screwed onto DN-T8 series terminal blocks.



Jumper Cutting Tools

Jumper cutting tools maintain protective covering.

Jumper Cutting Tools			
Part Number	Description	Pcs/Pkg	Price
DN-J2CUT	Cutting tool for DN-2J2Y, DN-3J2Y and DN-24J2Y jumpers.	1	\$54.00
DN-J4CUT	Cutting tool for DN-2J4Y, DN-3J4Y and DN-24J4Y jumpers.	1	\$54.00
DN-J6CUT	Cutting tool for DN-12J6Y jumpers.	1	\$81.00
DN-JL14CUT	Cutting tool for DN-12JL14-A and DN-12JL14B-A jumpers.	1	\$76.00
DN-JXCUT	Cutting tool without dies for DN-J12DIE, DN-J4DIE, DN-J6DIE, DN-JL14DIE AND DN-JFEDIE dies. Order dies separately.	1	\$52.00
DN-JFECUT	Cutting tool for DN-12JFE	1	\$63.00
DN-JKIT	Cutting tool kit for DN series jumpers. Includes (1) DN-JXCUT cutting tool, (5) dies (DN-J2DIE, DN-J4DIE, DN-J6DIE, DN-JL14DIE, and DN-JFEDIE).	1	\$216.00
DN-TOOL2	DINnector tool kit, for use with DN series terminal blocks, includes (1) spring opening tool for DN-Q series screwless terminal blocks and (1) jumper removal tool for J2, J4, J6, and JL14 jumpers.	1	\$7.75



DN-J2CUT



DN-J4CUT



DN-JKIT



DN-TOOL2

Replacement Dies			
Part Number	Description	Pcs/Pkg	Price
DN-J2DIE	Replacement dies for DN-J2CUT.	2	\$81.00
DN-J4DIE	Replacement dies for DN-J4CUT.	2	\$81.00
DN-JFEDIE	Replacement dies for DN-JFECUT.	2	\$63.00
DN-J6DIE	Replacement dies for DN-J6CUT.	2	\$81.00
DN-JL14DIE	Replacement dies for DN-JL14CUT.	2	\$81.00

Note: Replacement Dies also work with DN-JxCUT.

Terminal Blocks


tTBL-81

DINnectors[®] Accessories

Terminal Plugs



DN-xxPLUG / DN-xxPLUGMN



Accessories – Terminal Plugs							
Plugs* Part Number	Pcs/Pkg	Price/Pkg	Plugs* Part Number	Pcs/Pkg	Price/Pkg	Number of Poles	Length mm [in]
DN-2PLUG	200	\$79.00	DN-2PLUGMN	10	\$4.75	2	10.2 [0.40]
DN-3PLUG	200	\$122.00	DN-3PLUGMN	10	\$7.75	3	15.2 [0.60]
DN-4PLUG	100	\$81.00	DN-4PLUGMN	10	\$9.75	4	20.3 [0.80]
DN-5PLUG	100	\$93.00	DN-5PLUGMN	10	\$12.00	5	25.4 [1.00]
DN-6PLUG	100	\$121.00	DN-6PLUGMN	10	\$12.00	6	30.5 [1.20]
DN-7PLUG	50	\$63.00	DN-7PLUGMN	5	\$9.75	7	35.6 [1.40]
DN-8PLUG	50	\$80.00	DN-8PLUGMN	5	\$9.75	8	40.6 [1.60]
DN-9PLUG	50	\$88.00	DN-9PLUGMN	5	\$10.00	9	45.7 [1.80]
DN-10PLUG	50	\$93.00	DN-10PLUGMN	5	\$12.00	10	50.8 [2.00]
DN-11PLUG	50	\$111.00	DN-11PLUGMN	5	\$13.50	11	55.9 [2.20]
DN-12PLUG	50	\$121.00	DN-12PLUGMN	5	\$14.00	12	61.0 [2.40]

Terminal Plugs Ratings	
Voltage/Current	300V, 12A
Wire Gauge	14–22 AWG, CU only
Torque	Tightening Torque: 0.51 N·m [4.5 lb·in]
Usage Temperature	Ambient air temperature: -20°C to 105°C [-4°F to 221°F] Relative humidity: 50% max at 40°C [104°F]; 90% max at 20°C [68°F]
Agency Approvals	UL file #: E179129


Note: To obtain the most current agency approval information, see the Agency Approval Checklist section on the specific part number's web page.

* DN-xxPLUGs fit all DN-EMXxx & DN-QEMXxx plug-in terminal blocks

Disconnect Blade




DN-DIS-BLADE
DN-DIS-BMN







Disconnect Blade			
Part Number	Description	Pcs/Pkg	Price
DN-DIS-BLADE	Terminal block disconnect blade for DN-FE2, DN-FE4, DN-DIS2 and DN-DIS4	50	\$25.00
DN-DIS-BMN		10	\$6.75

End Brackets



End Brackets			
Part Number	Description	Pcs/Pkg	Price/Pkg
DN-EB15	Terminal block end stop 7mm width screw clamping. Gray	100	\$74.00
DN-EB15MN		20	\$17.00
DN-EB35	Terminal block end stop 9mm width screw clamping. Gray	50	\$46.00
DN-EB35MN		20	\$21.50
DN-EB35-A	Terminal block end stop 6mm width screw clamping. Black	50	\$33.00
DN-EB35-A-10		10	\$9.00
DN-QEB35	Terminal block end stop 6mm width screwless clamping. Black	50	\$29.00
DN-QEB35-10		10	\$9.00



For more information on accessories, see the "DINnectors Accessories" section of this chapter.


DINnectors Accessories

End Covers

Certain end covers can be used with multiple terminal block parts to cover and insulate the open side, or to put more space between adjacent blocks.

DINnectors End Covers				
Part Number	Description	For Use With	Pcs/Pkg	Price
DN-EC1210	Covers open side of DN-T12-A and DN-T10-A series terminal blocks	DN-T10-A, DN-T12-A	100	\$29.50
DN-EC1210MN			25	\$9.50
DN-EC86	Covers open side of DN-T8 and DN-T6 series terminal blocks	DN-T8, DN-T6	100	\$32.50
DN-EC86MN			25	\$9.50
DN-EC4	Covers open side of DN-T4 series terminal blocks	DN-T4	50	\$20.00
DN-EC4MN			10	\$3.75
DN-EC1/0	Covers open side of DN-T1/0 series terminal blocks	DN-T1/0	50	\$23.00
DN-EC1/0MN			10	\$4.50
DN-DEC10	Covers open side of DN-D10 series double-level terminal blocks	DN-D10	50	\$21.50
DN-DEC10MN			10	\$4.00
DN-EC14	Covers open side of DN-TL14-A series terminal blocks	DN-TL14-A	25	\$12.00
DN-EC14S	Covers open side of DN-TL14S-A series terminal blocks	DN-TL14S-A	25	\$10.00
DN-ECM10	Covers open side of DN-M10-A series terminal blocks	DN-M10-A DN-M10B-A	100	\$29.50
DN-ECM10MN			25	\$9.50
DN-ECKBD	Covers open side of DN-KBD12 (MN) series disconnect blocks	DN-KBD12 (MN)	100	\$29.50
DN-ECKBDMN			10	\$4.00
DN-EMXM1EC1	Covers open side of DN-EMXM1 and DN-QEMXM1 terminal blocks	DN-EMXM1 DN-QEMXM1	25	\$10.00
DN-EMXM1EC2	Covers closed side of DN-EMXM1 and DN-QEMXM1 terminal blocks		25	\$10.00
DN-EMXDVEC1	Covers open side of DN-EMXDV and DN-QEMXDV terminal blocks	DN-EMXDV DN-QEMXDV	25	\$10.00
DN-EMXDVEC2	Covers closed side of DN-EMXDV and DN-QEMXDV terminal blocks		25	\$10.00
DN-FESEP	Covers closed side of DN-FE sockets and DN-DIS disconnects	DN-FE, DN-DIS	50	\$18.00
DN-FESEP-10			10	\$3.25
DN-QEC12	Covers open side of DN-Q12-A or DN-QG12 series screwless terminal blocks	DN-Q12-A DN-QG12	50	\$14.50
DN-QEC12MN			10	\$3.50
DN-QEC10	Covers open side of DN-Q10-A or DN-QG10 series screwless terminal blocks	DN-Q10-A DN-QG10	50	\$14.50
DN-QEC10MN			10	\$3.50
DN-QEC8	Covers open side of DN-Q8-A or DN-QG8 series screwless terminal blocks	DN-Q8-A DN-QG8	50	\$17.00
DN-QEC8MN			10	\$3.75
DN-QEC12-1-2	Covers open side of DN-Q12-1-2-A and DN-QKBD12-A series screwless terminal blocks	DN-Q12-1-2-A, DN-QKBD12	25	\$10.00
DN-QEC12-2-2	Covers open side of DN-Q12-2-2-A series screwless terminal blocks	DN-Q12-2-2-A	25	\$11.50
DN-QDEC12	Covers open side of DN-QD12-A series screwless terminal blocks	DN-QD12-A	25	\$11.50

Spacers

Spacers are used to put more space between adjacent blocks.

DINnectors Spacers				
Part Number	Description	For Use with	Pcs/Pkg	Price
DN-S1210	Spacer for DN-T12-A and DN-T10-A series terminal blocks	DN-T10-A DN-T12-A	100	\$35.50
DN-S1210MN			25	\$11.00
DN-S86	Spacer for DN-T8 and DN-T6 series terminal blocks	DN-T8 DN-T6	100	\$42.00
DN-S86MN			25	\$9.25
DN-EMXM1SPA1	Spacer for single-level plug-in terminal blocks	DN-EMXM1 DN-QEMXM1	25	\$8.75
DN-EMXDVSPA1	Spacer for double-level plug-in terminal blocks	DN-EMXDV DN-QEMXDV	25	\$9.75
DN-FESPA	Spacer for DN-FE sockets and DN-DIS disconnects	DN-FE DN-DIS	50	\$18.00
DN-FESPA-10			10	\$3.25








Top Covers

DINnectors Top Covers				
Part Number	Description	For Use with	Pcs/Pkg	Price
DN-C12	Top cover, clear, printed electrical symbol.	DN-T12-A	100	\$42.50
DN-C12MN			25	\$9.25
DN-C10	Top cover, clear, printed electrical symbol.	DN-T10-A	100	\$42.50
DN-C10MN			25	\$9.25
DN-C86	Top cover, clear, printed electrical symbol.	DN-T8 DN-T6	100	\$42.50
DN-C86MN			25	\$9.25
DN-DC10	Top cover, clear, printed electrical symbol.	DN-D10	100	\$40.50
DN-DC10MN			25	\$9.25
DN-MC10	Top cover, clear, printed electrical symbol.	DN-M10	100	\$44.00
DN-MC10MN			25	\$9.25

DINnectors Accessories









DINector End Covers and Spacers Dimensions				
Part Number		Length	Height	Thickness
DN-EC1210	DN-EC1210MN	44mm [1.73 in]	35mm [1.38 in]	1.5 mm [0.06 in]
DN-S1210	DN-S1210MN	55mm [2.17 in]	44mm [1.73 in]	
DN-EC86	DN-EC86MN	50mm [1.97 in]	43mm [1.69 in]	
DN-S86	DN-S86MN	55mm [2.17 in]	49mm [1.93 in]	
DN-EC4	DN-EC4MN	56mm [2.21 in]	48mm [1.89 in]	
DN-EC1/0	DN-EC1/0MN	62mm [2.44 in]	60mm [2.36 in]	
DN-DEC10	DN-DEC10MN	72mm [2.80 in]	49mm [1.93 in]	
DN-EC14	–	78mm [3.08 in]	55mm [2.17 in]	
DN-EC14S	–	55mm [2.17 in]	50mm [1.97 in]	
DN-ECM10	DN-ECM10MN	32mm [1.26 in]	27mm [1.06 in]	
DN-ECKBD	DN-ECKBDmn	52mm [2.05 in]	34.5 mm [1.36 in]	
DN-EMXM1EC1	DN-EMXM1EC2	as shown on next page		
DN-EMXDVEC1	DN-EMXDVEC2			
DN-EMXDVSPA1	DN-EMXM1SPA1			
DN-FESPA	DN-FESPA-10			
DN-FESEP	DN-FESEP-10			
DN-QEC12	DN-QEC12mn	50mm [1.97 in]	23mm [0.9 in]	1.5 mm [0.06 in]
DN-QEC10	DN-QEC10mn	57.4 mm [2.26 in]	33.6 mm [1.32 in]	
DN-QEC8	DN-QEC8mn	63mm [2.48 in]	38.5 mm [1.52 in]	
DN-QEC12-1-2	–	68.5 mm [2.70 in]	28.5 mm [1.12 in]	
DN-QEC12-2-2	–	87.5 mm [3.44 in]	28.5 mm [1.12 in]	
DN-QDEC12	–	98mm [3.86 in]	37mm [1.46 in]	

DN-EC1210, DN-EC1210MN DN-EC86, DN-EC86MN DN-EC4 (MN), DN-EC1/0 (MN), DN-ECKBD (MN), DN-S1210, DN-S1210MN, DN-S86 (MN)



DINnectors[®] Accessories

Dimensional Drawings




DINnectors Accessories


Marking Tags Cross Reference Charts - Screwless

DINector Marking Tags Cross Reference - Screwless				
<i>Block Type</i>	<i>DN-QL</i>	<i>DN-LA</i>	<i>DN-LT</i>	<i>DN-EMLBL</i>
<i>DN-Q12</i>	X			
<i>DN-Q10</i>	X			
<i>DN-Q8</i>	X			
<i>DN-QD12</i>	X			
<i>DN-Q12-1-2</i>	X			
<i>DN-Q12-1-2L</i>	X			
<i>DN-Q12-1-2D</i>	X			
<i>DN-QKBD</i>	X			
<i>DN-Q12-2-2</i>	X			
<i>DN-Q12-2-2L</i>	X			
<i>DN-Q12-2-2D</i>	X			
<i>DN-QEMXM1</i>		X	X	X
<i>DN-QEMXDV</i>		X	X	X
<i>DN-QG12</i>	X			
<i>DN-QG10</i>	X			
<i>DN-QG8</i>	X			
<i>DN-QG12-1-2</i>	X			
<i>DN-QG12-2-2</i>	X			

DINnectors® Accessories


Marking Tags

Marking Tags DN-L Series			
Part#	Marking Sequence	Pcs/Pkg	Price
DN-L50	1-50	500	\$38.00
DN-L100	51-100	500	\$38.00
DN-L150	101-150	500	\$38.00
DN-L200	151-200	500	\$38.00
DN-L250	201-250	500	\$38.00
DN-L300	251-300	500	\$38.00
DN-L350	301-350	500	\$38.00
DN-L400	351-400	500	\$38.00
DN-L450	401-450	500	\$38.00
DN-LB	Blank	500	\$26.00
DN-LS	L1, L2, L3, L, N, GND, +, -, COM,COM*	500	\$38.00




- Notes:
1. The marking sequence of 50 tags (i.e. 101-150) is printed 10 times in each package of 500.
 2. The DN-L tags fit all DINnectors 6mm wide and wider. There will be a gap between tags on blocks wider than 6mm.
 3. Material: Thermoplastic with heat embossed black print.

Marking Tags DN-LA Series			
Part#	Marking Sequence	Pcs/Pkg	Price
DN-LA100	1-100	500	\$38.00
DN-LA200	101-200	500	\$38.00
DN-LA300	201-300	500	\$38.00
DN-LA400	301-400	500	\$38.00
DN-LAB	Blank Tags	500	\$38.00
DN-LAS	L1, L2, L3, L, N, GND, +, -, COM,COM*	500	\$38.00




- Notes:
1. The marking sequence of 100 tags (i.e. 1-100) is printed five times in each package of 500.
 2. The DN-LA tags fit all DINnectors 5mm wide and wider. There will be a gap between tags on blocks wider than 5mm.
 3. Material: Thermoplastic with heat embossed black print.

Marking Tags DN-LAT Series			
Part#	Marking Sequence	Pcs/Pkg	Price
DN-LAT100-A	1-100	500	\$33.50
DN-LAT200-A	101-200	500	\$33.50
DN-LAT300-A	201-300	500	\$33.50
DN-LAT400-A	301-400	500	\$33.50
DN-LAT500-A	401-500	500	\$33.50
DN-LAT600-A	501-600	500	\$33.50
DN-LATB-A	Blank Tags	500	\$24.50
DN-LATS-A	L1, L2, L3, L, N, +, -, COM,COM*	500	\$33.50



- Notes:
1. The marking sequence of 500 tags (i.e. 1-100) is printed five times in each package of 500.
 2. Material: Thermoplastic with heat embossed black print.

Marking Tags DN-QL Series			
Part#	Marking Sequence	Pcs/Pkg	Price
DN-QL100	1-100	500	\$29.00
DN-QL200	101-200	500	\$29.00
DN-QL300	201-300	500	\$29.00
DN-QL400	301-400	500	\$29.00
DN-QL500	401-500	500	\$29.00
DN-QLB	Blank Tags	500	\$25.00
DN-QLS	L1, L2, L3, L, N, +, -, COM,COM*	500	\$33.50




- Notes:
1. The marking sequence of 500 (i.e. 1-100) is printed five times in each package of 500.
 2. Material: Thermoplastic with heat embossed black print.

DINnectors® Accessories

Marking Tags continued


Marking Tags DN-LT Series			
Part#	Marking Sequence	Pcs/Pkg	Price
DN-LT15	1-5	100	\$7.00
DN-LT60	6-0	100	\$7.00
DN-LT1	1	100	\$7.00
DN-LT2	2	100	\$7.00
DN-LT3	3	100	\$7.00
DN-LT4	4	100	\$7.00
DN-LT5	5	100	\$7.00
DN-LT6	6	100	\$7.00
DN-LT7	7	100	\$7.00
DN-LT8	8	100	\$7.00
DN-LT9	9	100	\$7.00
DN-LT0	0	100	\$7.00
DN-LTBLNK	Unprinted	100	\$7.00
DN-LTA	A	100	\$7.00
DN-LTB	B	100	\$7.00
DN-LTC	C	100	\$7.00
DN-LTD	D	100	\$7.00
DN-LTE	E	100	\$7.00
DN-LTF	F	100	\$7.00
DN-LTG	G	100	\$7.00
DN-LTH	H	100	\$7.00
DN-LTI	I	100	\$7.00
DN-LTJ	J	100	\$7.00
DN-LTK	K	100	\$7.00
DN-LTL	L	100	\$7.00
DN-LTM	M	100	\$7.00
DN-LTN	N	100	\$7.00
-	-	-	-
DN-LTP	P	100	\$7.00
DN-LTQ	Q	100	\$7.00
DN-LTR	R	100	\$7.00
DN-LTS	S	100	\$7.00
DN-LTT	T	100	\$7.00
DN-LTU	U	100	\$7.00
DN-LTV	V	100	\$7.00
DN-LTW	W	100	\$7.00
DN-LTX	X	100	\$7.00
DN-LTY	Y	100	\$7.00
DN-LTZ	Z	100	\$7.00
DN-LTGND	⊕	100	\$7.00
DN-LTPOS	+	100	\$7.00
DN-LTNEG	-	100	\$7.00
DN-LTAC	~	100	\$7.00
DN-LTDC	=	100	\$7.00




Note:

1. These marking tags allow the flexibility of creating custom marking sequences on site.
2. The DN-M series supports a maximum of three digits (tags), while other DINnectors support up to four digits (tags).
3. Material: Thermoplastic with heat embossed black print.

DN-MTA marking tag adapter



DN-MTA dimensions



Part#	Description	Pcs/Pkg	Price
DN-MTA	Marking tag adapter holds up to six DN-LT tags	50	\$9.50

Note: DN-MTA adapter does not fit DN-T12-A terminal blocks.

DINnectors® Accessories

Terminal Marking Accessories



DN-EMLBL1



DN-EMLBL2



DN-EMLBL3

Part #	Description	For Use With	Pcs/Pkg	Price Each
DN-EMLBL1	Blank labels	DN-EMPEG1 pin protectors for DN-xEMXxx plug-in terminal blocks	100	\$6.25
DN-EMLBL2	Labels printed 1 – 12		100	\$8.75
DN-EMLBL3	Labels printed 13 – 24		100	\$8.75

Marking Pen – for terminal and wire marking tags

- Permanent
- Smudge-proof
- Waterproof
- Weatherproof
- Lightfast (won't fade)
- Dries in seconds (excellent for left-handed users)
- Dry-safe (pen can be left uncapped for days without drying out)
- Low odor ink

Part#	Description	Pcs/Pkg	Price Each
DN-MP	Indelible black ink marking pen	1	\$3.75



Marking pen

Wire Marking Accessories



DN-WMTAG1 wire tags & DN-WM-x wire tag holders

Part #	Description	For Use With	Pcs/Pkg	Price Each
DN-WMTAG1	Wire tag – blank	all DN-WM-x wire tag holders	525	\$40.50
DN-WM-1	Wire tag holder, clear, 12mm length, 0.051–0.118 in diameter; for 22–16 AWG wire	DN-WMTAG1	200	\$8.50
DN-WM-2	Wire tag holder, clear, 12mm length, 0.098–0.196 in diameter; for 16–11 AWG wire		200	\$8.50
DN-WM-3	Wire tag holder, clear, 12mm length, 0.157–0.393 in diameter; for 13–5 AWG wire		100	\$5.50
DN-WM-4	Wire tag holder, clear, 12mm length, 0.314–0.629 in diameter; for 5AWG wire		100	\$4.75

Screwless DINnectors Cross Reference

Allen-Bradley Part Number	Screwless DINnectors Part Number
1492-R4	DN-Q10-A
1492-R4-B	DN-Q10B-A
1492-R3	DN-Q12-A
1492-R3T	DN-Q12-1-2-A
1492-R3Q	DN-Q12-2-2-A
1492-R3-B	DN-Q12B-A
1492-R3T-B	DN-Q12B-1-2-A
1492-R3Q-B	DN-Q12B-2-2-A
1492-R6	DN-Q8-A
1492-R6-B	DN-Q8B-A
1492-RD3	DN-QD12-A
1492-RD3-B	DN-QD12B-A
1492-RD3C	DN-QD12X-A
1492-TC4	DN-QEC10
1492-RG4	DN-QG10
1492-RG3	DN-QG12
1492-RG6	DN-QG8
1492-SM5x9	DN-QL100
1492-SM5x9	DN-QLB
1492-RG3T	DN-QG12-1-2
1492-RG3Q	DN-QG12-2-2
1492-RKD3	DN-QKBD12-A

Phoenix Part Number	Screwless DINnectors Part Number
3031364	DN-Q10-A
3031377	DN-Q10B-A
3031212	DN-Q12-A
3031241	DN-Q12-1-2-A
3031306	DN-Q12-2-2-A
3031225	DN-Q12B-A
3031254	DN-Q12B-1-2-A
3031319	DN-Q12B-2-2-A
3031487	DN-Q8-A
3031490	DN-Q8B-A
3031270	DN-QD12-A
3031283	DN-QD12B-A
3031539	DN-QD12X-A
3030420	DN-QEC10
3031380	DN-QG10
3031238	DN-QG12
3031500	DN-QG8
1050211	DN-QL100
1050004	DN-QLB
3104013	DN-QG12-1-2
3031267	DN-QG12-2-2
3031322	DN-QKBD12-A

Wago Part Number	Screwless DINnectors Part Number
282-901	DN-Q10-A
282-904	DN-Q10B-A
280-901	DN-Q12-A
280-681	DN-Q12-1-2-A
280-833	DN-Q12-2-2-A
280-904	DN-Q12B-A
280-684	DN-Q12B-1-2-A
280-834	DN-Q12B-2-2-A
284-601	DN-Q8-A
284-604	DN-Q8B-A
281-619	DN-QD12-A
281-629	DN-QD12B-A
N/A	DN-QD12X-A
282-325	DN-QEC10
282-907	DN-QG10
281-907	DN-QG12
284-907	DN-QG8
N/A	DN-QL100
209-xxx	DN-QLB
279-687	DN-QG12-1-2
279-837	DN-QG12-2-2
280-870	DN-QKBD12-A

Weidmuller Part Number	Screwless DINnectors Part Number
163205	DN-Q10-A
163206	DN-Q10B-A
160851	DN-Q12-A
160854	DN-Q12-1-2-A
160857	DN-Q12-2-2-A
160852	DN-Q12B-A
160855	DN-Q12B-1-2-A
160858	DN-Q12B-2-2-A
160862	DN-Q8-A
160863	DN-Q8B-A
167430	DN-QD12-A
167863	DN-QD12B-A
168999	DN-QD12X-A
163209	DN-QEC10
163208	DN-QG10
160864	DN-QG12
160867	DN-QG8
161000	DN-QL100
161000	DN-QLB
160865	DN-QG12-1-2
160866	DN-QG12-2-2
160868	DN-QKBD12-A